


# DCN-SWMM Conference Software Microphone Management

www.boschsecurity.com




**BOSCH**  
Invented for life



- ▶ Prepare request-to-speak lists
- ▶ Group and individual speech timers
- ▶ Notebook

DCN-SWMM Conference Software Microphone Management is the way to efficient control microphones in a conference and provides the user a powerful and easy-to-use tool that covers all aspects of microphone management.

## Functions



Function screenshot

### Preparation

The operator prepares how the discussion will take place using the configuration application. Microphone settings can be defined for every entry in the meeting

agenda. Settings available are: microphone mode, number of active microphones, request-to-speak list, individual and group speech timers and many more. During the actual meeting the operator can choose to run the set-up as pre-configured, or make adjustments in real-time.

### Microphone Management

Microphone Management offers a number of microphone control options. This has a bearing on both how the Microphone Management module operates and how the conference itself proceeds.

These options are:

- Control by operator with request-to-speak list (manual).
- Control by operator with request-to-speak list and response list.
- Control by delegate with request-to-speak list (open).
- Control by delegate with override of other delegate microphones (first-in, first-out).
- Control by delegate with voice activation.
- Control by delegate with Push-To-Talk.

Each mode allows a different level of both operator and delegate microphone control, so all general conferences can be covered. For example, smaller, informal discussions require very little operator microphone control, so a mode such as microphone control by delegate would be ideal. For a full-scale international conference with hundreds of participants, control by operator with request-to-speak list would be more appropriate. The operator can specify whether one, two, three or four normal delegate microphones can be active simultaneously. It is also possible to specify whether delegates are allowed to cancel requests-to-speak or switch their microphones off. The amount of time delegates are allowed to speak can be defined for the current speaker, response speaker, individual delegates and for delegate groups.

### Notebook

It is also possible to give delegates additional microphone activation privileges, which means they do not have to join the request list and can enjoy certain other privileges not granted to other delegates. The microphone type must be specified for the notebook.

The possibilities are:

- 'Chair' for chairman microphones.
- 'Button' where delegates activate their microphones by pressing their microphone button (in this mode the 'VIP'LED of the contribution units is illuminated).
- 'Operator' where the microphones of more active delegates are activated by the operator.
- 'Voice' where the microphones are voice activated.
- 'PTT' where microphones are activated by using Push-To-Talk.

Both DCN Next Generation and DCN Wireless systems automatically recognize an assigned chairman unit and will automatically add it to the notebook.

### Parts included

| Quantity | Component          |
|----------|--------------------|
| 1        | Authorization code |

### Ordering information

#### DCN-SWMM Conference Software Microphone Management

Can only be used in combination with DCN-SW.  
Order number **DCN-SWMM**

#### Software Options

#### DCN-SWMM-E Conference Software Microphone Management E-code

Can only be used in combination with DCN-SW.  
Electronic authorization code.  
Order number **DCN-SWMM-E**

**Represented by:**

**Americas:**

Bosch Security Systems, Inc.  
12000 Portland Avenue South  
Burnsville MN 55337, USA  
Phone: +1-800-392-3497  
Fax: +1-800-955-6831  
audiosupport@us.bosch.com  
www.boschsecurity.com

**Europe, Middle East, Africa:**

Bosch Security Systems B.V.  
P.O. Box 80002  
5617 BA Eindhoven, The Netherlands  
Phone: + 31 40 2577 284  
Fax: +31 40 2577 330  
emea.securitysystems@bosch.com  
www.boschsecurity.com

**Asia-Pacific:**

Robert Bosch (SEA) Pte Ltd, Security  
Systems  
11 Bishan Street 21  
Singapore 573943  
Phone: +65 6571 2808  
Fax: +65 6571 2699  
apr.securitysystems@bosch.com  
www.boschsecurity.asia

**China:**

Bosch (Shanghai) Security Systems Ltd.  
201 Building, No. 333 Fuquan Road  
North IBP  
Changning District, Shanghai  
200335 China  
Phone +86 21 22181111  
Fax: +86 21 22182398  
www.boschsecurity.com.cn

**America Latina:**

Robert Bosch Ltda Security Systems Division  
Via Anhanguera, Km 98  
CEP 13065-900  
Campinas, Sao Paulo, Brazil  
Phone: +55 19 2103 2860  
Fax: +55 19 2103 2862  
al.securitysystems@bosch.com  
www.boschsecurity.com